

# DOM Manipulation

# DOM Manipulation

We're going to cover different ways of:

- changing an element's style
- adding/removing classes
- changing the content of a tag
- changing attributes(src, href, etc.)

# Style

The style property is one way to manipulate an element's style


```
/SELECT
var tag = document.getElementById("highlight");

//MANIPULATE
tag.style.color = "blue";
tag.style.border = "10px solid red";
tag.style.fontSize = "70px";
tag.style.background = "yellow";
tag.style.marginTop = "200px";
```

# Is This a Bad Idea?

It is recommended for styles to be defined in a separate file or files.  
The style property allows for quick styling, for example for testing purposes. - MDN

## Separation of Concerns



<http://blog.teamtreehouse.com>

# An Alternative

Rather than directly manipulating style with JS, we can define a CSS class and then toggle it on or off with JS

```
//INSTEAD OF THIS:  
var tag = document.getElementById("highlight");  
tag.style.color = "blue";  
tag.style.border = "10px solid red";
```

```
/*DEFINE A CLASS IN CSS*/  
.some-class {  
    color: blue;  
    border: 10px solid red;  
}
```

```
var tag = document.getElementById("highlight");  
//ADD THE NEW CLASS TO THE SELECTED ELEMENT  
tag.classList.add("some-class");
```

# classList

A read-only list that contains the classes for a given element. It is **not an array**.

```
/*DEFINE A CLASS IN CSS*/
.another-class {
  color: purple;
  fontSize: 76px;
}

var tag = document.querySelector("h1");

//ADD A CLASS TO THE SELECTED ELEMENT
tag.classList.add("another-class");

//REMOVE A CLASS
tag.classList.remove("another-class");

//TOGGLE A CLASS
tag.classList.toggle("another-class");
```

# textContent

Returns a string of all the text contained in a given element

```
<p>
  This is an <strong>awesome</strong> paragraph
</p>
```

```
/Select the <p> tag:
var tag = document.querySelector("p");

//Retrieve the textContent:
tag.textContent // "This is an awesome paragraph"

//alter the textContent:
tag.textContent = "blah blah blah";
```

# innerHTML

Similar to `textContent`, except it returns a string of all the HTML contained in a given element

```
<p>
  This is an <strong>awesome</strong> paragraph
</p>
```

```
//Select the <p> tag:
var tag = document.querySelector("p");

tag.innerHTML
// "This is an <strong>awesome</strong> paragraph"
```

# Attributes

Use *getAttribute()* and *setAttribute()* to read and write attributes like *src* or *href*

```
<a href="www.google.com">I am a link</a>

```

```
var link = document.querySelector("a");
link.getAttribute("href"); // "www.google.com"
//CHANGE HREF ATTRIBUTE
link.setAttribute("href", "www.dogs.com");
///<a href="www.dogs.com">I am a link</a>

//TO CHANGE THE IMAGE SRC
var img = document.querySelector("img");
img.setAttribute("src", "corgi.png");
//
```